

List of medicinal products containing benzyl alcohol

Date of last revision: June 2008

Preparations for injection:

| Active ingredient | Product | RVG | Concentration |
|-------------------|--|-------|---------------|
| amiodarone | Cordarone I.V., suspension for injection, 150 mg/3 ml | 10937 | 60 mg/ml |
| alprostadil | Caverject 20 microgram, powder for injection- suspension + solvent | 16788 | 9 mg/ml |
| | Caverject 10 microgram, powder for injection- suspension + solvent | 18684 | 9 mg/ml |
| | Caverject 10 microgram, powder for injection- suspension + solvent in a disposable syringe | 18751 | 9 mg/ml |
| | Caverject 20 microgram, powder for injection- suspension + solvent in a disposable syringe | 18752 | 9 mg/ml |
| | Caverject 5 microgram, powder for injection- suspension + solvent in a disposable syringe | 20884 | 9 mg/ml |
| | Caverject Dual 10 microgram, powder and solvent for solution for injection | 26390 | 9 mg/ml |
| | Caverject Dual 20 microgram, powder and solvent for solution for injection | 26391 | 9 mg/ml |
| ascorbic acid | Ascorbic acid CF 100 mg/ml, suspension for injection | 50810 | 10.5 mg/ml |
| atracurium | Tracrium Multi-dose, suspension for intravenous injection, 10 mg/ml | 14094 | 9 mg/ml |
| bromperidol | Impromen decanoas solution for injection, 50 mg | 10194 | 15 mg/ml |
| carboprost | Prostin/15M, suspension for injection, 0.25 mg/ml | 11553 | 9 mg/ml |

| | | | |
|---------------|---|-------|------------|
| clindamycin | Dalacin C, suspension for injection, 150 mg/ml | 06903 | 9 mg/ml |
| | Clindamycin 600 mg/4 ml, solution for injection, 150 mg/ml | 24829 | 9 mg/ml |
| | Clindamycin-hameln 150 mg/ml suspension for injection, solution for injection | 30597 | 9 mg/ml |
| clonazepam | Rivotril, concentrate for suspension for injection, 1 mg/ml | 06873 | 0.03 ml/ml |
| dalteparin | Fragmin 10.000 IE/ml, solution for injection | 16626 | 14 mg/ml |
| | Fragmin 25.000 IE/ml, solution for injection, 4 ml | 19478 | 14 mg/ml |
| dexamethasone | Dexamethasone disodium phosphate CF 5 mg/ml, suspension for injection | 50823 | 10.5 mg/ml |
| | Dexamethasone CF 20 mg/ml, suspension for injection | 55091 | 10.5 mg/ml |
| diazepam | Diazepam CF 5 mg/ml, suspension for injection | 56691 | 0.03 ml/ml |
| diclofenac | Voltaren, injection, 75 mg/3 ml | 07460 | 40 mg/ml |
| | Diclofenac Na CF 25 mg/ml, solution for injection, 3 ml | 17256 | 35 mg/ml |
| | Diclofenac Na 75 mg/3 ml, solution for injection, 25 mg/ml | 25586 | 40 mg/ml |
| enoxaparin | Clexane 300 mg/3 ml, solution for injection | 22077 | 15 mg/ml |
| etoposide | Vepesid, suspension for infusion (concentrate), 20 mg/ml | 08542 | 30 mg/ml |
| | Eposin, concentrate for suspension for infusion, 20 mg/ml | 16307 | 30 mg/ml |
| | Etoposide Sanofi-Synthelabo 20 mg/ml, concentrate for solution for intravenous infusion | 23142 | 30 mg/ml |

| | | | |
|--------------------|--|-------|-------------|
| flusperilene | Imap suspension for injection, 2 mg/ml | 06151 | 12 mg/ml |
| flufenazin | Anatensol decanoate, suspension for injection, 25 mg/ml | 06170 | 15 mg/ml |
| | Anatensol decanoate concentrate, suspension for injection, 100 mg/ml | 08468 | 15 mg/ml |
| | Flufenazin decanoate PCH 25 mg/ml, suspension for injection, 10 ml | 15106 | 15 mg/ml |
| gonadorelin | HRF 0.5 mg, powder for suspension for injection | 12069 | 0.02 ml/ ml |
| | HRF 0.1 mg, powder for suspension for injection | 12070 | 0.02 ml/ ml |
| | HRF 1.25 mg, powder for suspension for injection | 14875 | 0.02 ml/ ml |
| haloperidol | Haldol decanoas solution for injection, 50 mg/ml | 08994 | 15 mg/ml |
| | Haldol decanoas solution for injection, 100 mg/ml | 09323 | 15 mg/ml |
| | Haloperidol PCH 50 mg/ml depot, suspension for injection, 1 ml, 3 ml | 15794 | 12 mg/ml |
| | Haloperidol PCH 100 mg/ml depot, suspension for injection, 1 ml | 15795 | 12 mg/ml |
| heparin | Heparin Leo, suspension for injection, 5000 IE/ml | 01372 | 10 mg/ml |
| | Heparin Na CF 5000 IE/0.2 ml, solution for suspension for injection | 55539 | 0.01ml/ml |
| hydrocortisone | Solu-Cortef, powder for suspension for injection, 100 mg + solvent | 14871 | 9 mg/ml |
| hydroxocobalamin | Hydroxocobalamin HCl CF 0.5 mg/ml, solution for injection | 50830 | 10.5 mg/ml |
| interferon alfa-2A | Roferon-A EasyJect 3, solution for injection, 3.000.000 IE/0.5 ml | 24155 | 10 mg/ml |
| | Roferon-A EasyJect 4.5, solution for injection, 4.500.000 IE/0.5 ml | 24156 | 10 mg/ml |

| | | | |
|--------------------|---|-------|------------|
| | Roferon-A EasyJect 6, solution for injection, 6.000.000 IE/0.5 ml | 24157 | 10 mg/ml |
| | Roferon-A EasyJect 9, solution for injection, 9.000.000 IE/0.5 ml | 24158 | 10 mg/ml |
| | Roferon-A 18, solution for injection, 18.000.000 IE/0.6 ml | 25052 | 10 mg/ml |
| | Roferon-A EasyJect 18, solution for injection in pre-filled syringe, 18.000.000 IE/0.5 ml | 26863 | 10 mg/ml |
| leuprorelin | Lucrin, suspension for injection, 5 mg/ml | 11645 | 9 mg/ml |
| lorazepam | Temesta, injection, 4 mg/ml | 08192 | 0.02 ml/ml |
| methylprednisolone | Solu-Medrol, suspension for injection, 40 mg/ml | 05302 | 5 mg/ml |
| | Solu-Medrol, powder for suspension for infusion + solvent, 125 mg/2 ml and 250 mg/4 ml | 07041 | 10 mg/ml |
| | Depo-Medrol + Lidocaine, suspension for injection | 07066 | 8.7 mg/ml |
| | Methylprednisolone Sodium Succinate Mayne 500 mg and 1 g, powder for suspension for injection | 57714 | 0.90% |
| mivacurium | Mivacron Multi-dose, suspension for intravenous injection, 2 mg/ml | 16147 | 9 mg/ml |
| nadroparin | Fraxiparine 2.0, solution for injection, 19.000 IE anti Xa/2 ml | 20955 | 9 mg/ml |
| | Fraxiparine 5.0, solution for injection, 47.500 IE anti Xa 5/ml | 20956 | 9 mg/ml |
| | Fraxiparine 15, solution for injection, 142.500 IE anti Xa/15 ml | 21217 | 9 mg/ml |
| nandrolone | Durabolin 25 mg/ml, suspension for injection | 00003 | 0.1 ml/ml |
| | Deca-Durabolin 50 mg/ml, solution for injection | 00126 | 0.1 ml/ml |
| | Deca-Durabolin 25 mg/ml, suspension for injection | 00127 | 0.1 ml/ml |
| | Deca-Durabolin 100 mg/ml, solution for injection | 07195 | 0.05 ml/ml |
| sodium tetradecyl | Trombovar, injection 1% | 05447 | 20 mg/ml |
| | Trombovar, injection 3% | 05448 | 20 mg/ml |

| | | | |
|--------------------------|--|-------|---------------|
| neostigmine | Neostigmine methylsulphate CF 0.5 mg/ml, suspension for injection | 50842 | 10.5 mg/ml |
| netilmicin | Netromycine 100 mg/ml, suspension for injection | 08009 | 10 mg/ml |
| | Netromycine 200 mg/ml, suspension for injection | 15329 | 9 mg/ml |
| papaverine | Papaverine sulphate CF 50 mg/ml, suspension for injection | 50849 | 10.5 mg/ml |
| procainamide | Pronestyl, suspension for injection, 100mg/ml | 01782 | 9 mg/ml |
| somatropin | Zomacton 4 mg, powder for suspension for injection | 14593 | 9 mg/ml |
| suxamethone | Curalest 20 mg/ml, suspension for injection | 02242 | 15 mg/ml |
| | Curalest 50 mg/ml, suspension for injection | 02243 | 15 mg/ml |
| | Suxamethoniumchloride CF 50 mg/ml, suspension for injection | 50863 | 10.5 mg/ml |
| teniposide | Vumon, suspension for infusion (concentrate), 50 mg/5 ml | 08539 | 30 mg/ml |
| testosterone | Sustanon "100", suspension for injection | 00026 | 0.1 ml/ml |
| | Sustanon "250", suspension for injection | 00027 | 0.1 ml/ml |
| testosterone + estradiol | Estandron prolongatum, suspension for injection | 00402 | 0.1 ml/ml |
| tinzaparin | Innohep 10.000 IE anti-Xa/ml, solution for injection | 14782 | 10 mg/ml |
| | Innohep 20.000 IE anti-Xa/ml, solution for injection | 17123 | 10 mg/ml |
| triamcinolone | Kenacort-A 10, suspension for injection, 10 mg/ml | 01591 | 9.9 mg/ml |
| | Kenacort-A 40, suspension voor injection, 40 mg/ml | 05341 | 9.9 mg/ml |
| | Kenacort-A 40, suspension for injection, 40 mg/ml | 06827 | 9.9 mg/ml |
| vinblastine | Velbe, powder for injection, 10 mg | 00543 | 0.009 ml/1 ml |
| | Vinblastine sulphate-TEVA powder for suspension for injection, 10 mg/vial, powder for suspension for injection | 11754 | 20 mg/ml |

| | | | |
|----------|---|-------|------------|
| | Vincristine sulphate 1 mg/ml PCH, suspension for injection, 1 mg/ml | 11406 | 10 mg/ml |
| vitamins | Neurobion, solution for injection | 00531 | 10 mg/ml |
| | Vitamin B complex CF, suspension for injection | 50867 | 10.5 mg/ml |
| | Vitamin B complex forte CF, suspension for injection | 50868 | 10.5 mg/ml |

Radiopharmateuticals:

| Active ingredient | Product | RVG | Concentration |
|-------------------|---|-------|---------------|
| chromium EDTA | Chromium (51Cr) EDTA suspension for injection, solution for injection | 57761 | 10 mg/ml |
| cyanocobalamin | Cyanocobalamin [57Co] capsules Ph.Eur., capsules, 18.5 kBq | 57776 | 5µg |
| gallium citrate | Gallium (Ga 67) Citrate Injection, solution for injection, 37 MBQ/ml | 57734 | 9 mg/ml |
| iobenguane | AdreView, Iobenguane (123I) Injection, solution for injection, 18.5-74 MBQ/ml | 57689 | 10.4 mg/g |
| | Bristol-Myers Squibb Iobenguane [I-131] Diagnostic Injection, solution for injection, 9.25 MBq/ml | 57703 | 9 mg/ml |
| | [131 I] Meta-Iodobenzylguanidine for Diagnostic Use, solution for injection, 9.25-18.5 MBq/ml | 57706 | 10 mg/ml |
| | [131 I] Meta-Iodobenzylguanidine for Therapeutic Use, solution for infusion, 0.185-0.740 GBq/ml | 57708 | 10 mg/ml |
| | Iodine-131 metaiodobenzylguanidine Injection, suspension for injection | 57710 | 0.9%v/v |
| | Bristol-Myers Squibb Gallium (Ga-67) Citrate Injection, solution for injection, 37 MBq/ml | 57779 | 9 mg/ml |
| thallium chloride | Thalliumchloride TI-201, suspension for injection for intravenous use | 57750 | 9 mg/ml |
| | Thallos [201Tl] Chloride Injection Ph. Eur., solution for injection, 37 MBq/ml | 57766 | 1.1 % v/v |

Other systemics

| Active ingredient | Product | RVG | Concentration |
|-------------------|--|-------|---|
| antacids | Rennie Refluxine Sugar Free, suspension for oral use | 21007 | 10 mg/ml |
| | Rennie Duo Sachets, suspension for oral use | 25334 | 0.5 mg/ ml |
| amoxicillin | Amoxicillin suspension 250 mg/5 ml, suspension | 57641 | Flavouring substance raspberry aroma contains benzyl alcohol |
| atovaquone | Wellvone suspension, 750 mg/5 ml suspension | 21070 | 10 mg/ml |
| diazepam | Stesolid 5 mg/2.5 ml rectioles, enema | 07606 | 15 mg/ml |
| | Stesolid 10 mg/2.5 ml rectioles, enema | 07607 | 15 mg/ml |
| | Diazepam Katwijk rectiole 5 mg, enema, 5 mg/2.5 ml | 19798 | 15 mg/ml |
| | Diazepam Katwijk rectiole 10 mg, enema, 10 mg/2.5 ml | 19799 | 15 mg/ml |
| gonadorelin | Cryptocur, nasal spray, 2 mg/g | 10282 | 10 mg/g |
| ketotifen | Ketotifen 1 mg/ 5 ml, syrup | 23469 | Flavouring substance contramarum aroma contains benzyl alcohol |

Other topicals

| Active ingredient | Product | RVG | Concentration |
|-------------------|--|-------|---------------|
| amlexanox | Miraftil 5%, Oromucosal paste, 50 mg/g | 31688 | 25 mg/g |
| antibiotics | Polytrim, hydrophilic cream | 13727 | 1% w/w |
| antifungal agents | Loprox, hydrophilic cream, 10 mg/g | 15466 | 10 mg/g |
| bifonazole | Mycospor, cream o/w, 10 mg/g | 10364 | 20 mg/g |

| | | | |
|--------------|--|-------|---------|
| bufexamac | Parfenac, cream 5% | 06772 | 10 mg/g |
| Clotrimazole | Canesten skin, cream, 10 mg/g | 06515 | 20 mg/g |
| | Canesten foot, cream, 10 mg/g | 23319 | 20 mg/g |
| | Canesten gyno, vaginal cream, 10 mg/g | 07856 | 20 mg/g |
| | Canesten gyno 1, vaginal cream, 100 mg/g | 10972 | 10 mg/g |
| | Canesten gyno 3, vaginal cream, 20 mg/g | 08935 | 10 mg/g |
| | Clotrimazole Gf 10 mg/g, hydrophilic cream | 15155 | 10 mg/g |
| | Clotrimazole hydrophilic cream, 10 mg/g, cream | 22476 | 10 mg/g |
| pimecrolimus | Elidel, cream, 10 mg/g | 28742 | 10 mg/g |
| terbinafine | Lamisil 1%, hydrophilic cream, 10 mg/g | 14843 | 10 mg/g |
| | Lamisil DermGel, gel, 10 mg/g | 24945 | 5 mg/g |